



gyroscope fiber coil fuse

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of 10 for **gyroscope fiber coil fuse**. (0.07 seconds)**[book] Opto-Mechatronic Systems Handbook**

H Cho - 2002 - print.google.com

... It comprises Chapters 3 through 7, which focus on basic principles, theory, and applications of lasers, optical sensors, and distributed optical **fiber** sensing. ...[Web Search](#)**Appendix E-Domain Report**

A Desc, ID Activity, A Type - crimnet.state.mn.us

Page 1. Appendix E - Domain Report This report provides an alphabetical list of domains from the CrimNet Data Model. Each listing ...

[Web Search](#)**Chapter 7. Motion Tracking Requirements and Technologies**

E Foxlin, IS Inc - it.uu.se

Page 1. Extended draft version of Chapter 8 in Handbook of Virtual Environment Technology, Kay Stanney, Ed., Lawrence Erlbaum Associates, 2002 ...

[View as HTML](#) - [Web Search](#) - [intersense.com](#) - [isense.com](#) - [mm-werkstatt.informatik.uni-augsburg.de](#) - [all 6 versions »](#)**CLASS 73, MEASURING AND TESTING**

SIC DEFINITION - uspto.gov

... (Apparatus or Process Combined With Measuring or Testing) 162, Paper Making and

Fiber Liberation, sub- classes 49, 198 and 263 for measuring and test- ing in ...[View as HTML](#) - [Web Search](#)**[book] Electricity and Magnetism**

J Beller, K Magliore - 2001 - print.google.com

... Rubber-soled shoes Leather-soled shoes Cotton socks Silk/nylon stockings Synthetic

fiber socks (Fabric: Bare feet Step — + metal Step — + metal ...[Web Search](#) - [Library Search](#)**Tracking: Beyond 15 Minutes of Thought**

G Bishop, BD Allen, G Welch - orpheus.fh-hagenberg.at

Page 1. SIGGRAPH 2001 Course 11 Tracking: Beyond 15 Minutes of Thought Gary

Bishop 1,2 B. Danette Allen 2 University of North Carolina ...

Cited by 2 - [View as HTML](#) - [Web Search](#) - [cs.unc.edu](#) - [terra.cs.nps.navy.mil](#) - [online.cs.nps.navy.mil](#)**[book] Motorboat Electrical and Electronics Manual**

JC Payne - 2002 - print.google.com

... Screening. Noise Troubleshooting. Cable Planning and Installation. **Fiber** Optics.

26. Fire, Gas and Security Systems 476 Fire Detection Systems. ...

[Web Search](#) - [Library Search](#)**[book] Superluminal: A Novel of Interplanetary Civil War**

T Daniel - 2004 - Eos

[Web Search](#) - [Library Search](#)**Helium-Neon Lasers**

HNL Characteristics, S Applications - repairfaq.ece.drexel.edu

... Laser **gyroscope**. ... laser amplifiers do exist in applications as diverse as **fiber** optic communications ... The use of a heating **coil** or piezo transducer to precisely ...[Cached](#) - [Web Search](#) - [bithose.com](#) - [repairfaq.org](#) - [repairfaq.cis.upenn.edu](#) - [all 9 versions »](#)



sagnac fiber coil fuse

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 5 of 5 for **sagnac fiber coil fuse**. (0.05 seconds)

Development of a Portable **Fiber**-Optic Current Sensor for Power Systems Monitoring

P Mihailovic, S Petricevic, Z Stojkovic, J ... - IEEE Transactions on Instrumentation and Measurement, 2004 - ieeexplore.ieee.org

... A A A Hz, sec- ondary **coil** current 1 A ... C. Luo, and S. Zheng, "A **fiber**-optic current sensor based on a differentiating **sagnac** interferometer," IEEE ...

[Web Search](#) - ieeexplore.ieee.org

OJ OJ

FTS Yu, TH Chao - APPLIED OPTICS, 1980 - ao.osa.org

Page 1. Letters to the Editors should be addressed to the Editor, APPLIED OPTICS, AFCRL, Bedford, Mass. 01730, and should be accompanied ...

[Web Search](#)

METHOD, SYSTEM AND APPARATUS FOR CONDITIONING ELECTROMAGNETIC POTENTIALS, FIELDS, AND WAVES TO TREAT ...

S Index - cheniere.org

... TW Barrett, "**Sagnac** Effect: A Consequence of Conservation of Action Due to Gauge ... wave counterparts) is based on the following concepts: In a **coil**, the current ...

[Cached](#) - [Web Search](#)

METHOD, SYSTEM AND APPARATUS FOR CONDITIONING ELECTROMAGNETIC POTENTIALS, FIELDS, AND WAVES TO TREAT ...

TE Bearden - holman.net

... TW Barrett, "**Sagnac** Effect: A Consequence of Conservation of Action Due to Gauge Field Global Conformal Invariance in a Multiply-Joined Topology of Coherent ...

[Web Search](#)

New physics and astronomy with the new gravitational-wave observatories

SA Hughes, S Marka, PL Bender, CJ Hogan - Arxiv preprint astro-ph/0110349, 2001 - arxiv.org

... The **coil** assembly also features a sensitive shadow sensor for local control. Additional optical levers and wavefront sensors provide more precise sensing. ...

[Cited by 20](#) - [View as HTML](#) - [Web Search](#) - ligo.caltech.edu - slac.stanford.edu - mit.edu - [all 6 versions »](#)

sagnac fiber coil fuse

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)**Scholar**Results **21 - 23** of **23** for **fiber coil cladding fuse**. (0.01 seconds)**[book] Weapons of Delta Force**

FJ Pushies, FA Johnsen - 2002 - print.google.com

Page 1. . -a Page 2. First published in 2002 by MBI Publishing Company, Galtier Plaza, Suite 200, 380 Jackson Street, St. Paul, MN 551 01 -3885 USA ...


[Web Search](#) - [Library Search](#)**[book] Uninterruptible Power Supplies**

A King, W Knight - 2002 - print.google.com

... Or contact your local bookstore. ® This book is printed on recycled, acid-free paper containing a minimum of 50% recycled, de-inked **fiber**. ...[Web Search](#)**ABOVEGROUND STORAGE TANK CLOSURE AND REPLACEMENT**

W SHOP, C WAVERLY, BID NO - co.larimer.co.us

Page 1. SPECIFICATIONS ABOVEGROUND STORAGE TANK CLOSURE AND REPLACEMENT LARIMER COUNTY FLEET SERVICES WAVERLY SHOP WAVERLY, COLORADO BID NO. 04-48 NOVEMBER 2004 ...

[View as HTML](#) - [Web Search](#) - [co.larimer.co.us](#)Result Page: **Previous** [1](#) [2](#) [3](#)[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google



fiber loop cladding fuse

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 57 for **fiber loop cladding fuse**. (0.01 seconds)**All-fiber components for DWDM networks**

BP Pal - eel.iust.ac.ir

... 1 '**Fuse**-pull-taper' method for fabrication of ... from core to co-propagating **cladding** modes, thereby ... flattening configuration through use of **fiber loop** mirror ...

[View as HTML](#) - [Web Search](#)
Birefringent splittable composite(BISPEC) fiber and polarization-maintaining couplers

GD Peng, AL Ye, PL Chu - Journal of Lightwave Technology, 1995 - ieeexplore.ieee.org

... are used in **fiber** gyroscopes [13, **loop** mirror all ... and fixed axis alignment of the **fiber** renders it ... 1 (a)]. To make the stress-inducing **cladding** elliptical, we ...

[Cited by 1](#) - [Web Search](#) - [ieeexplore.ieee.org](#) - [adsabs.harvard.edu](#) - [csa.com](#)
High Strength, Low Loss, Fusion Spliced Interface Between Fused Silica & Phosphate Glass Fibers

E Bryant, MR Lange, R Wu, TL Chen, M Myers, J ... - kigre.com

... SMF-28 to Kigre's MM-2 (180um diameter **cladding**, single mode core ... measurement of the tensile strength of the MM-2 **fiber** we employed a **loop** test and ...

[Cited by 1](#) - [View as HTML](#) - [Web Search](#) - [kigre.com](#)
Fiber-optic couplers as displacement sensors

MC Baruch, DW Gerdt, CM Adkins - iber-based Component Fabrication, Testing, and ..., 2003 - empiricaltechnologies.com

... cm of **cladding** from each **fiber**, they are twisted and positioned for insertion into a micro furnace mounted ... The actual **fiber** optic sensing **loop**, which is ...

[Web Search](#) - [adsabs.harvard.edu](#) - [link.aip.org](#)
IOOC-ECOC97

U Section - ieeexplore.ieee.org

... 'Bend birefringence in finite-**cladding** w-fibres ... of SZ-slotted rod cable with 4-**fiber** ribbons for ... amplifying **loop** mirror' N Kishi, K Kawachi and E Yamashita ...

[Web Search](#) - [ieeexplore.ieee.org](#)
ARC FLASH HAZARD ANALYSIS AND MITIGATION

C Inshaw, RA Wilson - library.abb.com

... UTILITY SOURCE SC 3P 250.0 MVA SC SLG 83.3 MVA UTILITY **FUSE** S&C SM-4, 14.4kV E-Rated 3E-200E Standard Speed Sensor/Trip 125.0 A ...

[View as HTML](#) - [Web Search](#)
... Modeling of Polarization-Dependent Coupling Characteristics of 1× 3 Linear Array Weakly Fused**Fiber ...**TLIN WU, CH CHAO - **Fiber** and Integrated Optics, 2003 - taylorandfrancis.metapress.com

... In the tapered region, the power is gradually guided between the **fiber cladding** and the surrounding medium because of the reduced diameters of both **fiber** core ...

[Web Search](#) - [csa.com](#)
Editorial..... N. Dagli 5

SO Feedback, RB Swint, TS Yeoh, VC Elarde, JJ ... - ieeexplore.ieee.org

... of Acoustic Reflection on the Performance of a **Cladding**-Etched All ... 177 **Fiber Fuse** Effect in Microstructured Fibers ... RZ and CSRZ Using SOA-Based **Fiber Loop** Mirror ...

[Web Search](#)
Wafer-fused optoelectronics for switching

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38689	gyro or gyroscopr or FOG or sagnac	US-PGPUB; USPAT	ADJ	ON	2005/12/01 10:41
L2	565385	fiber or fibre	US-PGPUB; USPAT	ADJ	ON	2005/12/01 10:41
L3	57225	coil with wind\$	US-PGPUB; USPAT	ADJ	ON	2005/12/01 10:41
L4	142	1 and 2 same 3	US-PGPUB; USPAT	ADJ	ON	2005/12/01 10:38
L5	12	LANGE-CHARLES-H or MALKIN-MICHAEL-M or MALKIN-MICHAEL	US-PGPUB; USPAT	ADJ	ON	2005/12/01 10:40
L6	13852	gyro or gyroscopr or FOG or sagnac	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 10:41
L7	279588	fiber or fibre	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 10:41
L8	26906	coil with wind\$	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 10:41
L9	18	6 and 7 and 8	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 10:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45169	gyro or gyroscope or FOG or sagnac	US-PGPUB; USPAT	ADJ	ON	2005/12/01 12:55
L2	69977	(coil or loop) with wind\$	US-PGPUB; USPAT	ADJ	ON	2005/12/01 12:55
L3	927	1 and 2	US-PGPUB; USPAT	ADJ	ON	2005/12/01 12:44
L4	9531	2 same (fuse\$ or bond\$ or heat\$3)	US-PGPUB; USPAT	ADJ	ON	2005/12/01 12:55
L5	114	1 and 4	US-PGPUB; USPAT	ADJ	ON	2005/12/01 12:46
L6	15723	gyro or gyroscope or FOG or sagnac	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 12:55
L7	28621	(coil or loop) with wind\$	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 12:55
L8	3584	7 same (fuse\$ or bond\$ or heat\$3)	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 12:55
L9	6	6 and 8	EPO; JPO; IBM_TDB	ADJ	ON	2005/12/01 12:55

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	((fiber or fibre) and (coil or loop) and cladding and fuse\$.clm.	US-PGPUB	ADJ	ON	2005/12/01 13:04